

# EVL **GOES GLOBAL**

EVL<sup>TM</sup>  
4 EDITION

13<sup>th</sup> 14<sup>th</sup> 15<sup>th</sup>  
FEBRUARY, 2020

**"Evolving Techniques, Optimizing Hardware and Maximizing Results"**

# Left SFA Angioplasty

-Dr Sandeep Agarwal

Vice Chairman,

Institute of Vascular and Endovascular Sciences,  
Sir Ganga Ram Hospital, New Delhi

# Case Description

- 48 years / male
- Claudication pain of right leg since 6 months.
- Claudication distance decreased from 2 km to 20 meters
- Non smoker
- No comorbidities

# Clinical Examination


- No tissue loss

Pulsations	Femoral	Popliteal	ATA	PTA
Right	+	-	-	-
Left	+	+	+	+

EndoVascular Live

# IMAGING

DOPPLER (Left LL): Occluded SFA with reformation at proximal popliteal artery from origin with CTO of ATA



# **PLAN: Angiography with left SFA and BTK angioplasty via left CFA contralateral retrograde percutaneous approach under LA**

## Hardware:

- 5Fr sheath / Balkin 6Fr sheath.
- MPA /Vert catheter/Cut pigtail
- Terumo 0.035/ 0.014 Command ES, supracore.
- Balloons 4mm, 5mm- SFA, 2mm,2.5mm - BTK
- Stent (Bailout) – Vasculo-mimetic (Supera) for SFA
- Proglide closure device

**THANK  
YOU**



**"Evolving Techniques, Optimizing Hardware and Maximizing Results"**